


The product using material and processing must conform to the "WL-PZ-001"HSF technical standard control requirements


RoHS

USB TYPE-C PIN ASSIGNMENTS

PIN NUMBER	SIGNAL NAME	PIN NUMBER	SIGNAL NAME
A1	GND	B12	GND
A2	SSTXp1	B11	SSRXp1
A3	SSTXn1	B10	SSRXn1
A4	VBus	B9	VBus
A5	CC1	B8	SBU2
A6	Dp1	B7	Dn2
A7	Dn1	B6	Dp2
A8	SBU1	B5	CC2
A9	VBus	B4	VBus
A10	SSRXn2	B3	SSTXn2
A11	SSRXp2	B2	SSTXp2
A12	GND	B1	GND



RECOMMENDED PCB LAYOUT(TOP VIEW)
THICKNESS 0.60MM;DEFAULT TOLERANCE:±0.05



P/N:

WLT4F9-24 2 X X 0 109

Plating Contact

1-G/F

2-Au 3u"

3-AU 5u"

5-Au 15u"

6-Au 30u"


COLOR:

A-BLACK


REV.	REVISION RECORD	DATE		GENERAL TOLERANCES		SCALE:	NAME	DATE	PART.NO:	DWG.NO:		
A0	NEW RELEASE	21.11.17		LINEAR	ANGLES	1:1			WLT4F9-242XX0109	ENDE05		
				0.0±0.35	X°REF±6°	APPROVED	Wang_jr	21.11.17				
			UNIT:mm	0.00±0.25	X°±3°	DESIGNER	Han_Gao	21.11.17	TITLE:			
			SIZE: A4	0.000±0.10	X°X' ±2°	DRAWN	Zijun_Huang	21.11.17	TYPE C 24P/F R/A SMT L=7.90mm		REV: A0	SHEET: 2/3

The product using material and processing must conform to the "WL-PZ-001"HSF technical standard control requirements

RoHS



SEE DETAIL X



PAPER BOARD


REEL AND TAPE

REEL AND TAPE

PAPER BOARD

FOLDER
PAPER BOARD

CARTON



	REEL	CARTON
CONNECTOR (PCS)	900	9000

REV.	REVISION RECORD	DATE		GENERAL TOLERANCES		SCALE:	NAME	DATE	PART.NO:	DWG.NO:	
A0	NEW RELEASE	21.11.17		LINEAR	ANGLES	1:1			WL4F9-242XX0109	ENDE05	
				0.0 ± 0.35	$X^{\circ} \text{REF} \pm 6^{\circ}$		APPROVED	Wang_jr	21.11.17		
			UNIT:mm	0.00 ± 0.25	$X^{\circ} \pm 3^{\circ}$		DESIGNER	Han_Gao	21.11.17	TITLE:	
			SIZE: A4	0.000 ± 0.10	$X^{\circ} X^{\circ} \pm 2^{\circ}$		DRAWN	Zijun_Huang	21.11.17	TYPE C 24P/F R/A SMT L=7.90mm	

WanLian Teconology Co., Ltd

REV: A0 SHEET: 3/3