








The product using material and processing must conform to the "WI-PZ-001" HSF technical standard control requirements

RoHS+HF



RECOMMENDED PCB LAYOUT TOLERANCE±0.05



- NOTE:
- MATERIAL SPECIFICATION:
    - HOUSING: LCP,UL94V-0
    - CONTACTS: BRASS
    - SOLDER TABS: SUS304
  - PLATING SPECIFICATION:
    - CONTACTS:
      - 50 $\mu$ " MIN. NICKEL PLATING UNDAER OVERALL,
      - 60 $\mu$ " MIN. MATTE TIN PLATING ON SOLDER TAIL
      - GOLD FLASH PLATING ON CONTACT AREA.
    - SOLDER TABS:
      - NI 50U"MIN PLATED OVER ALL.
  - MECHANICAL PERFORMANCE:
    - RETENTIVITY FORCE: 0.5KGF/pin min
    - DURABILITY: 30 CYCLES.
  - ELECTRICAL PERFORMANCE:
    - CURRENT RATING: 2.5A AC/DC  
RATED VOLTAGE : 200V AC/DC
    - CONTACT RESISTANCE: 20 m $\Omega$  MAX
    - INSULATION RESISTANCE: 100M $\Omega$  Min
    - DIELECTRIC WITHSTANDING : 500V
  - ENVIRONMENTAL PERFORMANCE:
    - OPERATING TEMPERATURE: -40°C~+80°C.
  - PACKAGE SPEC: REEL
  - P/N:





REV.	REVISION RECORD	DATE		GENERAL TOLERANCES		SCALE: 1:1	NAME	DATE	PART.NO: A125AW9-1122XX0	DWG.NO: ENDE05	 WanLian Technology Co., Ltd
A0	NEW RELEASE	21.11.17		LINEAR	ANGLES	APPROVED	Wang_jr	23.09.26			
A1	PART NUMBER RENEWAL	23.09.26	UNIT:mm	0.00±0.25	X'±3'	DESIGNER	Han_Gao	23.09.26	TITLE: Pitch 1.25mm 90° Battery H2.30单排卧贴 +铁壳DIP Wafer	REV: A1	SHEET: 1/2
			SIZE: A4	0.000±0.10	X'X' ±2'	DRAWN	Zijun_Huang	23.09.26			

The product using material and processing must conform to the "WI-PZ-001" HSF technical standard control requirements

RoHS+HF



USER DIRECTION OF UNREELING



NOTE:

- MATERIAL:  
BOX: FIBRE BOARD, CORRUGATED, DOUBLE WALL (K=K).  
TAPE: POLYSTYRENES, HEAT-RESISTANT TEMPERATURE: 120°C, TRANSPARENT COLOR. (透明色)  
BAG: POLYETHYLENE, HEAT-RESISTANT TEMPERATURE: 100°C.
- PEELING STRENGTH: 0.2~1.0N (20~100gf)
- PEELING SPEED: 300 mm/min.
- EACH BAG SHALL BE INCLUDED DESICCANT.

1350	11	14850 PCS	-- KG	--KG
PCS/ REEL	REELS/ CARTON	QUANTITY	GROSS WEIGHT	NET WEIGHT

REV.	REVISION RECORD	DATE	☉	GENERAL TOLERANCES		SCALE: 1:1	NAME	DATE	PART.NO: A125AW9-1122XX0	DWG.NO: ENDE05	 WanLian Technology Co., Ltd
A0	NEW RELEASE	21.11.17		LINEAR	ANGLES	APPROVED	Wang_jr	23.09.26			
A1	PART NUMBER RENEWAL	23.09.26	UNIT:mm	0.00±0.25	X'±3'	DESIGNER	Han_Gao	23.09.26	TITLE: Pitch 1.25mm 90° Battery H2.30单排卧贴 +铁壳DIP Wafer	REV: A1	
			SIZE: A4	0.000±0.10	X'X' ±2'	DRAWN	Zijun_Huang	23.09.26			