


1	2	3	4	5	6	7	8
---	---	---	---	---	---	---	---

A



G



A

B












C

DE

G



H

1	2	3	4	5	6	7	8
---	---	---	---	---	---	---	---

	1	2	3	4	5	6	7	8						
The product using material and processing must conform to the "WI-PZ-001"HSF technical standard control requirements														
A	RoHS					2*12		A						
B	2*2					2*11		B						
C	2*3					2*10		C						
D	2*4					2*9		D						
E	2*5					2*8		E						
F	2*6					2*7		F						
G								G						
H	REV.	REVISION RECORD	DATE		GENERAL TOLERANCES		SCALE: 1:1	NAME	DATE	PART.NO:	DWG.NO:	 WanLian Technology Co., Ltd	REV: A1 SHEET: 2/3	
	A0	NEW RELEASE	21.11.17		LINEAR	ANGLES	APPROVED	Wang_jr	23.09.11	C4201W94-2XX1XXX				
	A1	PART NUMBER RENEWAL	23.09.11		0.0±0.35	X'REF±6°	DESIGNER	Han_Gao	23.09.11	TITLE:				
					UNIT:mm	0.00±0.25	X'±3°	DRAWN	LX_HOU	23.09.11	Pitch 4.2mm 双排 90° DIP Wafer 带螺丝孔 实心针			
					SIZE: A4	0.000±0.10	X'X' ±2°							
	1	2	3	4	5	6	7	8						



RoHS

2*2





2*11

2*3





2*10

2*4





2*9

2*5



2*8

2*6



2*7



WanLian Technology Co., Ltd

REV: A1

SHEET: 2/3

